

IN THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Original) A shaving apparatus, comprising a base part for being held in one hand and has a top end and a bottom end, and comprising a shaving head being mounted on the base part in the region of the top end of the base part and has a short-hair cutting device and a long-hair cutting device, the long-hair cutting device being arranged next to the short-hair cutting device in a first side direction of the shaving head, and wherein the short-hair cutting device has short-hair cutting parts which interact with one another, and wherein the long-hair cutting device is formed by a toothed cutting device which has two rows of cutting teeth lying next to one another in a longitudinal direction of the rows, and wherein the shaving head is pivotably mounted with respect to the base part, namely about a pivot axis running parallel to the

longitudinal direction of the rows, and wherein the pivot axis is arranged offset towards the base part with respect to the short-hair cutting parts and the rows of cutting teeth in a depth direction of the shaving head, wherein spring means are provided which spring means spring-load the shaving head essentially counter to the depth direction away from the base part and towards a rest position of the shaving head.

2. (Currently Amended) A The shaving apparatus as claimed in claim 1, wherein the base part has a longitudinal axis running between its bottom end and its top end, and wherein the shaving head has a depth axis running parallel to the depth direction, and wherein the longitudinal axis of the base part and the depth axis of the shaving head enclose an angle of inclination with one another, said angle being smaller than 180° .

3. (Currently Amended) A The shaving apparatus as claimed in claim 2, wherein the angle of inclination lies in a range between 120° and 140° and is preferably about 130° .

4. (Currently Amended) A The shaving apparatus as claimed in claim 1, wherein the pivot axis is arranged offset with respect to the depth axis in the first side direction.

5. (Withdrawn) A shaving apparatus as claimed in claim 1, wherein a second toothed cutting device is provided, and wherein the short-hair cutting device is arranged between the two toothed cutting devices.

6. (Withdrawn) A shaving apparatus as claimed in claim 1, wherein the spring means comprise a wire spring which has a multiple wound middle section and two leg sections and is arranged with its middle section concentric to the pivot axis.